CONTENTS

Introduction to the Proceedings of the Joint Japan–U.S.A. Seminar on Advanced Materials for Severe Service Applications II Honolulu, December 1990 1

State of the art of material design projects for severe service applications. 3
H. Okamura (Tokyo, Japan)

Strength evaluation method and design optimization for ceramic gas turbine blades 11
N. Okabe and T. Ikeda (Yokohama, Japan)

Materials for advanced space propulsion systems 21
N. E. Paton (Canoga Park, CA, U.S.A.)

Overview of research on aerospace metallic structural materials 31
A. H. Rosenstein (Washington, DC, U.S.A.)

Materials for elevated-temperature applications 43
J. K. Tien, G. E. Vignoul and M. W. Kopp (Austin, TX, U.S.A.)

Effects of microstructure on the mechanical properties and fracture of γ-base titanium aluminides 51
S. Mitao, S. Tsuyama and K. Minakawa (Kawasaki, Japan)

The mechanical properties of reinforced ceramic, metal and intermetallic matrix composites 63
A. G. Evans (Santa Barbara, CA, U.S.A.)

Cracks on bimaterial interfaces: elasticity and plasticity aspects 77
C. F. Shih (Providence, RI, U.S.A.)

Strength evaluation of ceramic–metal joints 91
H. Kobayashi (Tokyo, Japan), Y. Arai (Saitama, Japan), H. Nakamura (Tokyo, Japan) and T. Sato (Yokohama, Japan)

Interface and strength in ceramic matrix composites. 103
T. Kishi, M. Enoki and H. Tsuda (Tokyo, Japan)

Dynamic fracture of ceramics and ceramic composites 111
A. S. Kobayashi (Seattle, WA, U.S.A.)

Fracture toughness evaluation for advanced materials using chevron-notched compact specimens. 119
H. Nakamura and H. Kobayashi (Tokyo, Japan)

An analysis of the growth of small fatigue cracks. 127
A. J. McEvily (Storrs, CT, U.S.A.)

The wedge mechanism of fatigue crack growth in silicon nitride 135
M. Okazaki (Nagaoka, Japan), A. J. McEvily (Storrs, CT, U.S.A.) and T. Tanaka (Kyoto, Japan)

Analytical study on dimensional changes in thermally cycled metal matrix composites. 143
M. Taya, W. D. Armstrong, M. Dunn (Seattle, WA, U.S.A.) and T. Mori (Yokohama, Japan)

Hygrothermal degradation and fracture process of advanced fibre-reinforced plastics 155
K. Komai, K. Minoshima and S. Shiroshita (Kyoto, Japan)

Delamination failures in polymer composites 167
K. Kageyama and I. Kimpara (Tokyo, Japan)

Strength optimization of multidirectional laminates in an in-plane combined stress state. 175
I. Susuki (Tokyo, Japan)

Environmental effects during application of materials at temperatures above 1200 °C. 187
N. Birks and F. S. Pettit (Pittsburgh, PA, U.S.A.)

Some principal mechanisms in the simultaneous erosion and corrosion attack of metals at high temperatures 197
D. M. Rishel, F. S. Pettit and N. Birks (Pittsburgh, PA, U.S.A.)

Cracking behaviour of heat-resisting steels, alloys and a carbon-fibre-reinforced polymer at elevated temperatures 213
R. Ohtani, T. Kitamura and N. Tada (Kyoto, Japan)

Effects of pressure carbonization in the C–C composites process 223
T. Hosomura and H. Okamoto (Tokyo, Japan)

A case study and damage assessment of some heavy section components operating for more than 100000 h in fossil-fired power plants. 231
A. Fuji, M. Kitagawa, H. Umaki and H. Inai (Tokyo, Japan)

Deformation and fracture characteristics and its effect on the superconductivity of a high T_c superconductor ($YBa_2Cu_3O_{7-x}$) 241
T. Shoji and Y. Tazawa (Sendai, Japan)

Reliability evaluation of electronic devices 247
S. Kawai, A. Nishimura, T. Hattori, M. Kitano and T. Shimizu (Ibaraki-ken, Japan)

AUTHOR INDEX 257

SUBJECT INDEX 259